



DIRECTIONS FOR USE:

Soil: Use one pint (16 oz.) per acre.

PROBLEM Soil: For saline, alkali, and water penetration problems, use 1 quart (32oz.) per acre, first application.

Row Crops: Mix with starter or side dress fertilizer. Can also be metered into first irrigation water.

TREES AND VINES: Dilute in sufficient water for coverage and spray soil surface to be irrigated or meter into first irrigation water. **PLANTS:** Use eight fluid ounces (8 oz.) per 100 gallons of water to reduce surface tension and improve wetting in agricultural sprays.

TRANSPLANTS: Mix with transplant water to apply one pint (16 oz.) per acre.

ACTIVE INGREDIENT:

By Wt. 20%......Saponin extracted from Yucca schidigera.

INACTIVE INGREDIENT:

By Wt. 80%......Other water soluble substances extracted from Yucca schidigera.

100%

CA REG. NO.: 1051166-50001

* If foaming is a problem, use an anti-foam agent in the spray formulation or fertilizer solution.

NOT A PLANT FOOD INGREDIENT



P.O. Box 156 • Strathmore, CA 93267 Toll Free: 866-327-0000 • Website: www.americanextracts.com

SAFE HANDLING OF PRODUCT

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Causes moderate eve irritation. Avoid contact with eves. skin, or clothing. Wear (specific protective eyewear, protective clothing, and gloves if appropriate).

FIRST AID:

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything to an unconscious person. If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Notice To Buver:

Seller makes no warranty, expressed or implied, concerning the uses of this product other than indicated on this label. Buyer assumes all risk of use or handling of this material when such use and/or handling are contrary to the label instructions.

Information regarding the contents and levels of material in this product is available at the Oregon Dept. of Agriculture internet site: http://cda.state.or.us/fertilizer

GALLONS:

LITERS:

LOT No.: